

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	10354 13	frame	US- PGPU B; USPA T
2	BRS	L2	88055 3	(front or top) adj2 (face or side or surface)	US- PGPU B; USPA T
3	BRS	L3	66596 1	(bottom or back) adj2 (face or side or surface)	US- PGPU B; USPA T
4	BRS	L4	68298	resin near2 (molded or mold or molding)	US- PGPU B; USPA T
5	BRS	L5	40555 59	(device or element)	US- PGPU B; USPA T
6	BRS	L6	13461 94	lead	US- PGPU B; USPA T

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	4197	6 near5 (tapering or tapered)	US-PGPU B; USPA T
8	BRS	L8	726	7 same 5	US-PGPU B; USPA T
9	BRS	L9	5	8 same 4	US-PGPU B; USPA T
10	BRS	L10	3373	7 and 5	US-PGPU B; USPA T
11	BRS	L11	106	10 and 4	US-PGPU B; USPA T
12	BRS	L12	57	3 and 11	US-PGPU B; USPA T

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	32	12 and 2	US-PGPU B; USPA T
14	BRS	L14	22	13 and 1	US-PGPU B; USPA T
15	BRS	L15	17120 68	frame	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
16	BRS	L16	70266 5	(front or top) adj2 (face or side or surface)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	489869	(bottom or back) adj2 (face or side or surface)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
18	BRS	L18	136223	resin near2 (molded or mold or molding)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
19	BRS	L19	9138932	(device or element)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
20	BRS	L20	89380 5	lead	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
21	BRS	L21	26758	20 same (tapering or tapered)	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
22	BRS	L22	20025	21 and 19	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB

	Type	L #	Hits	Search Text	DBs
23	BRS	L23	135	22 and 18	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
24	BRS	L24	27	23 and 17	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB
25	BRS	L25	48	23 and 15	USOC R; FPRS; EPO; JPO; DERW ENT; IBM_T DB